L Number	Hits	Search Text	DB	Time stamp
1	353	(extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4) near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb) near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4) same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 07:48
2	271913	("348" or "375" or "382" or "358" or "386" or "341" or "345").clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 07:48

09/842,155

C:\APPS\EAST\Workspaces\x.wsp

3		184	((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 07:49
			near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)		
			near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)		
			same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) and (("348" or "375" or "382" or "358" or "386" or "341" or "345").clas.)		

| 4 | 3044 | (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 07:50 |
| 5 | 1186 | (("348" or "375" or "382" or "358" or "386" or "341" or "345").clas.) and ((2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 07:51 |

C:\APPS\EAST\Workspaces\x.wsp

6	10787	(extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4) near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb) near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 07:57
7	4480	(("348" or "375" or "382" or "358" or "386" or "341" or "345").clas.) and ((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4) near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb) near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 08:02
8	27267	345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 08:02

9	1183	((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 08:02
		near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)		
		near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)) and (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.)		
10	851	((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 08:19
		near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)		
		near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)) same (progressiv$4 or PIT or order$3 or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)		

C:\APPS\EAST\Workspaces\x.wsp

| 11 | 153 | (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)

near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)
) same (progressiv$4 or PIT or order$3 or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 08:11 |

C:\APPS\EAST\Workspaces\x.wsp

| 12 | 144 | ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)

near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)
) same (progressiv$4 or PIT or order$3 or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4))) not (((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) and (("348" or "375" or "382" or "358" or "386" or "341" or "345").clas.)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 08:11 |

| 13 | 856 | ((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)

near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)
) same (scalabl$4 or scalabilit$4 or progressiv$4 or PIT or order$3 or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 08:19 |
| 14 | 153 | (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)

near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)
) same (scalabl$4 or scalabilit$4 or progressiv$4 or PIT or order$3 or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 08:20 |

C:\APPS\EAST\Workspaces\x.wsp

| 15 | 144 | ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)

near4 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near4 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)
) same (scalabl$4 or scalabilit$4 or progressiv$4 or PIT or order$3 or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4))) not (((extract$4 or divid$4 or split$4 or partition$4 or fragment$5 or division$3 or segment$7 or subdivid$4 or demultiplex$4 or demux$4 or de adj1 (multiplex$4 or mux$4) or apart or detach$4 or separate$4 or split$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) and (("348" or "375" or "382" or "358" or "386" or "341" or "345").clas.)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 09:45 |

| 16 | 535 | (scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 09:45 |
| 17 | 11 | (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 09:46 |

| 18 | | 49 | (("348" or "375" or "382" or "358" or "386" or "341" or "345").clas.) and ((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:03 |
| 19 | | 2852 | (scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

same (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:05 |

| 20 | 661 | (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

same (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:04 |

| 21 | 1055 | (scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:11 |

| 22 | 293 | (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:06 |

| 23 | | 42 | ((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) same (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:06 |

| 24 | | 10 | (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) same (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:06 |

| 25 | | 301 | ((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) same (important$4 or importance$3 or significant$3 or low$3 or LF) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:46 |

| 27 | | 112 | (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4) near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb) near7 (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) same (important$4 or importance$3 or significant$3 or low$3 or LF)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:12 |

| 28 | 108 | ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or ZTE or IZ or ZTR or filter$3 near1 (bank$1 or scale or mirror) or filterbank$3 or filterscal$3 or mirrorfilter$3 or multiresolution or multi adj1 resolution or MRA or pyramid$5 or QMF$1 or GQMF$1 or CQF$1 or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) same (important$4 or importance$3 or significant$3 or low$3 or LF))) not ((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and (((scalabl$4 or scalabilit$4 or progressiv$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 approximat$4)

near7 (2D or "2" adj1 D or ("2" or two or bi) adj1 dimension$4 or bidimension$4 or imag$3 or pixel$4 or pel$1 or video$1 or photo$5 or photgraphic$4 or scene$1 or field$1 or pictur$3 or pictorial$4 or continuous adj1 tone$1 or contone$1 or halfton$3 or bitmap$3 or (pix or bit) adj1 map$3 or pixmap$3 or gray$3 or grey$3 or gop or macroblock$3 or macro adj1 block$3 or mb)

near7 (frequency or SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch$7 or heirarch$7 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or quadtree$3 or zero near isolated or | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:41 |

| 30 | 12 | ((progressiv\$4 or scalabl\$4 or scalabilit\$4 or PIT or ordered or ordering or orders or (coarse\$3 or rough\$3) near2 (fine\$3 or refine\$3 or accurat\$3 or superior\$4) or SAQ or successive\$4 adj1 (reproduc\$8 or decod\$4 or reconstruct\$8 or approximat\$4))

near7 (vocal\$3 or spoken\$2 or speech\$2 or audio or audib\$4 or sound\$4 or vocod\$5 or voic\$3 or verbal\$3 or aural\$3 or phoneme\$3 or phonetic\$4)

same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or suband\$1 or subband\$1 or sub adj1 band\$1 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) same (important\$4 or importance\$3 or significant\$3 or low\$3 or LF) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:46 |
| 29 | 70 | (progressiv\$4 or scalabl\$4 or scalabilit\$4 or PIT or ordered or ordering or orders or (coarse\$3 or rough\$3) near2 (fine\$3 or refine\$3 or accurat\$3 or superior\$4) or SAQ or successive\$4 adj1 (reproduc\$8 or decod\$4 or reconstruct\$8 or approximat\$4))

near7 (vocal\$3 or spoken\$2 or speech\$2 or audio or audib\$4 or sound\$4 or vocod\$5 or voic\$3 or verbal\$3 or aural\$3 or phoneme\$3 or phonetic\$4)

same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or suband\$1 or subband\$1 or sub adj1 band\$1 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 10:48 |

C:\APPS\EAST\Workspaces\x.wsp

| 31 | 58 | ((progressiv$4 or scalabl$4 or scalabilit$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 (reproduc$8 or decod$4 or reconstruct$8 or approximat$4))

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) not (((progressiv$4 or scalabl$4 or scalabilit$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 (reproduc$8 or decod$4 or reconstruct$8 or approximat$4))

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) same (important$4 or importance$3 or significant$3 or low$3 or LF)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 11:02 |

| 32 | 34 | (((progressiv$4 or scalabl$4 or scalabilit$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 (reproduc$8 or decod$4 or reconstruct$8 or approximat$4))

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) not (((progressiv$4 or scalabl$4 or scalabilit$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 (reproduc$8 or decod$4 or reconstruct$8 or approximat$4))

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) same (important$4 or importance$3 or significant$3 or low$3 or LF))) and (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 11:02 |

| 33 | | 26 | (((progressiv$4 or scalabl$4 or scalabilit$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 (reproduc$8 or decod$4 or reconstruct$8 or approximat$4))

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) not (((progressiv$4 or scalabl$4 or scalabilit$4 or PIT or ordered or ordering or orders or (coarse$3 or rough$3) near2 (fine$3 or refine$3 or accurat$3 or superior$4) or SAQ or successive$4 adj1 (reproduc$8 or decod$4 or reconstruct$8 or approximat$4))

near7 (vocal$3 or spoken$2 or speech$2 or audio or audib$4 or sound$4 or vocod$5 or voic$3 or verbal$3 or aural$3 or phoneme$3 or phonetic$4)

same (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LSP or LIS or LL$2 or HL$2 or LH$2 or HH$2 or suband$1 or subband$1 or sub adj1 band$1 or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)
) same (important$4 or importance$3 or significant$3 or low$3 or LF))) and (SAQ or successiv$4 adj1 approximat$4 adj1 (quantis$7 or quantiz$7) or list$1 near (dominan$4 or subordinat$3 or significan$4 or insignifican$4) or LIP or LIS or wavelet$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree$4 or zero near isolated or ZTE or IZ or ZTR or EZW or IEZW or SZT or ondelette$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal$4 or bi adj1 orthogonal$4 or (TS or TT or S) adj1 Transform$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/10 11:03 |